
Kiosk

K27 II Self-service / Self-order Kiosk










FEATURES


- Bright 27" (1920 x 1080) touch display
- Wall mount or floor stand
- Single or double-sided operation
- Support for Windows 10/11and Linux Ubuntu
- Multiple payments options (MSR, EMV and contactless)
- Customizable and modular design
- ANKER ADA-Pad (option)

Kiosk


For an optimized workflow



Base Options



Wall Mounted




Double Sided



Floor Standing









Kiosk

Specifications

Item	K27 II		
Display	27" / 16:9 / 1920 x 1080 / 300 nits		
Touch	27" / 16:9 / 1920 x 1080 / 650 nits (option)		
CPU	PCAP touch		
Memory	**Alder Lake-P** Intel® Core™ i3-1215U Intel® Core™ i5-1245U, vPro Intel® Core™ i7-1265U, vPro	**Elkhart Lake** Intel® Celeron® J6412	**Rockchip** RK3399
Storage	DDR4: 4 GB / 8 GB / 16 GB / 32 GB		LDDR4: 4 GB
	M.2 PCIe SSD: 128 GB / 256 GB / 512 GB / 1 TB		eMMC: 64 GB, upgradeable to 128 GB
I/O Ports	1 x Intel Gigabit Ethernet (host)	1 x Gigabit Ethernet (host)	
	1 x RJ45 Ethernet (EMV payment)		
	1 x AC male power socket		
	1 x power switch button		
Speakers	2 x speaker (3W)		
Printer	3" thermal printer		
Peripheral Options	2D barcode scanner		
	EMV terminal bracket		
	8MP camera		
	RFID/NFC reader		
	LED light bar		
	Anker ADA-Pad		
	JAWS for Kiosk (screen reader)		
Mounting Options	Floor stand (including wheels & handle), double sided (option)		
	VESA wallmount bracket		
Wi-Fi / BT (option)	Wi-Fi 6E (Intel® AX210), 2.4 GHz / 5 GHz / 6 GHz (IEEE 802.11a/b/g/n/ac/ax)		Wi-Fi 5, IEEE 802.11a/b/g/n/ac dual band (2.4 GHz / 5 GHz)
	BT 5.3		BT 4.2 (supports BLE)
Operating System	Windows 11 IoT Enterprise LTSC 24H2 (64-bit)		Android 11
	Windows 10 IoT Enterprise LTSC 21H2 (64-bit)		
	Linux Ubuntu 22.04		
TPM & vPro	Intel V-Pro (i5/i7 CPU only)	S/W TPM 2.0 (BIOS)	N/A
	S/W TPM 2.0 (BIOS)		
Power Supply	AC-In 100~240V / DC-Out 12V, 120W		AC-In 100~240V / DC-Out 12V, 90W
Reliability	System operating temperature: 0~40°C / 32~104°F		
	System humidity: 15% ~ 80%		
	Storage temperature: -20~60°C / -4~140°F		
Dimensions (Wx Hx D)	Wall mount: 415 x 946 x 163 mm / 16.3 x 37.2 x 6.4 in		
	Floor stand: 415 x 1580 x 589 mm / 16.3 x 62.2 x 23.2 in		
Weight	Wall mount: 21 kg / 46.3 lb		
	Floor stand: 67 kg / 147.7 lb		

*Specification is subject to change without prior notice

Contact US

Partner Tech Americas HQ
1255 N. Patt Street
Anaheim, CA 92801, USA
Phone: +1 949 598 1888
sales@partnertechcorp.com

Partner Tech Mexico
5F, Av. Fundadores 935, Paseo de las Privanzas
C.P. 64750, Monterrey, Mexico
Phone: +52 55 9990 8274
sales@partnertechcorp.com