


Kiosk


K27 II**Self-service / Self-order Kiosk****FEATURES**

- Bright 27" (1920 x 1080) touch display
- Wall mount or floor stand
- Single or doublesided operation
- Support for Windows 10/11, Linux Ubuntu and Android 11
- Multiple payments options (MSR, EMV and contactless)
- Customizable and modular design
- ANKER ADA-Pad (option) for accessibility

Kiosk

PARTNER


For an optimized workflow



Base Options



Wall Mounted



Double Sided



Floor Standing



Specifications



Item	K27 II		
Display	27", 16:9, 1920 x 1080 (300 nits) 27", 16:9, 1920 x 1080 (650 nits)(option)		
Touch	PCAP touch		
CPU	Alder Lake-P Intel® Core™ i3-1215U Intel® Core™ i5-1245U, vPro Intel® Core™ i7-1265U, vPro	Elkhart Lake Intel® Celeron® J6412	Rockchip RK3399
Memory	DDR4 4GB / 8GB / 16GB / 32GB		DDR4 4GB
Storage	M.2 PCIe SSD: 128GB / 256GB / 512GB / 1TB		eMMC 32GB + 1x Micro SD card slot (up to 128GB)
I/O Ports	1 x Intel Gigabit Ethernet (Host)	1 x Gigabit Ethernet (Host)	
	1 x RJ45 Ethernet (EMV Payment)	1 x RJ45 Ethernet (EMV Payment)	
	1 x AC male power socket		
	1 x power switch button		
Speakers	2 x speaker (3W)		
Printer	3" thermal printer		
Peripheral Options	2D barcode scanner		
	EMV terminal bracket		
	8MP camera		
	RFID / NFC reader		
	ADA keypad		
	LED status indicator (multi-color light bar)		
Mounting Options	Floor stand (including wheels & handle)		
	VESA wallmount bracket		
Wi-Fi / BT (option)	Wi-Fi 6E Intel AX210, IEEE 802.11 a/b/g/n/acR2/axR2 BT 5.3		2.4GHz/5GHz (IEEE 802.11a/b/g/n/ac) BT 4.2
Operating System	1. Windows 11 IoT Enterprise LTSC 24H2 (64bit) 2. Windows 10 IoT Enterprise LTSC 21H2 (64bit) 3. Linux Ubuntu 22.04		Android 11
TPM & vPro	1. Intel vPro (i5/i7 CPU only)	S/W TPM 2.0 (BIOS)	N/A
	2. S/W TPM 2.0 (BIOS)		
Power Supply	AC-In 100~240V / DC-Out 12V, 120W		
Reliability	System operating temperature: 0~40°C / 32~104°F		
	System humidity: 15% ~ 80%		
	Storage temperature: -20~60°C / -4~140°F		
Dimensions (Wx Hx D)	Wall mount: 415 x 946 x 163 mm / 16.34 x 37.24 x 6.42 inch		
	Floor stand: 415 x 1480-1780 x 589 mm / 16.34 x 58.27-70.08 x 23.19 inch		
Weight	Wall mount: 21 Kg / 46.3 lbs		
	Floor stand: 64 Kg / 141.1 lbs		

*Specification is subject to change without prior notice

Contact Now

TAIWAN E-mail:sales@partner.com.tw
USA E-mail:sales@partnertechcorp.com
EUROPE E-mail:info@partner-tech.eu
UK E-mail:sales@partnertechuk.com
CHINA E-mail:sales@partnertech.com.cn

MIDDLE EAST
JAPAN
AUSTRALIA
ASIA PACIFIC

E-mail:info@partnertechme.com
 E-mail:sales-jp@partner.com.tw
 E-mail:sales_au@partnertechapac.com
 E-mail:sales@partnertechapac.com

