

**PAR//NER**


CARE . TRUST . RESPONSIBILITY

# BW-Series

21.5" / 27" / 32"

Multifunctional Modular Kiosk

*Efficient Intelligence at Your Service*



**MAXIMUM STYLE, EFFICIENCY AND LONGEVITY** for Retail Automation and Self-Service Solutions



**Endless Possibilities: Explore Innovative Ways to Create Superior Customer Experiences**



Check-in & Check-out



Ordering & Payment



Information & Marketing



Ticketing & Digital Coupons

## SMART Retail Solution for Superior Customer Experience Product + Software + Service





**BW-Series:**  
Standing

Easy Maintenance  
Paper Roll Storage

**BW-Series:**  
Wall Mounted



## Superior Customer Experience for a Variety of Industries & Services



Retail



Events & Entertainment



Government



Healthcare



Banks & Corporate



Food & Beverage



Hospitality



Transportation

## BW-Series: Multifunctional Modular Self-Service Kiosk Solution

### ITEM Specification: BW-Series: Self-Service Kiosk

<b>Display</b>	21.5" Resolution 1920x1080(300 nits) , 27" Resolution 1920x1080(300 nits) , 31.5" Resolution 1920x1080(400 nits)	
<b>Touch</b>	PCAP touch	
<b>CPU</b>	Intel® Core™ i3-7100U (KABYLAKE-U) Intel® Core™ i5-7300U (KABYLAKE-U)	Intel Celeron J3455 (Apollo Lake)
<b>Memory</b>	DDR4 4GB, 8GB, 16GB	DDR3L 4GB, 8GB
<b>Storage</b>	M.2 PCIe SSD: 128G / 256G	M.2 SATA SSD: 128G / 256G
<b>External I/O Interface</b>	1 x Gigabit Ethernet	
	1 x AC Male Power Socket	
	1 x Power switch Button	
<b>Speaker</b>	2 x Speaker 3W	
<b>Printer</b>	RP700 , Options: Epson TM-30 &TM-70 , Star mC-Print2	
<b>Optional Peripheral</b>	Bar Code Scanner : Honeywell CF-4680 / Newlend FM3051	
	EMV Terminal Bracket : Verifone VX 520 , Ingenico iPP320, PAX A80	
	Camera : 5MP	
	RFID Reader : ISO 15693(R/W),ISO 18092(R/W), ISO 14443-A(R/W), ISO 14443-B(Read UID)	
	ADA keypad : Assistive, audio enabled keypad offering menu navigation	
	Wheels kit : Four wheels & one handle	
	Wallmount bracket	
<b>WIFI/BT(option)</b>	2.4GHz/5GHz (IEEE 802.11a/b/g/n/ac) , BT 4.2 (supports BLE)	
<b>Spill &amp; Dust resistant</b>	N/A	
<b>Operation System</b>	1. Windows 10 IoT Enterprise (64bit)	
	2. Linux (Ubuntu)	
<b>SW</b>	1. Intel V-Pro (i5 CPU only)	S/W TPM 2.0 (BIOS)
	2. S/W TPM 2.0 (BIOS)	
<b>Power Adaptor</b>	AC-In 100~240V / DC-Out 12V, 120W	
<b>Reliability</b>	System Operating Temperature: 5~40°C for SSD	
	System Humidity: 15% ~ 80%	
	Storage Temperature: -20~60°C	
<b>Dimensions (Wall mount type)</b>	BW-215 : 420 (W) x 1218.02 (H) x 449.15 (D) mm	
	BW-270 : 497.8 (W) x 1364.08 (H) x 527.2 (D) mm	
	BW-320 : 553.9 (W) x 1459.78 (H) x 583.3 (D) mm	
<b>Dimensions (Floor mount type)</b>	BW-215 : 420 (W) x 1751 (H) x 477 (D) mm	
	BW-270 : 497.8 (W) x 1896.7 (H) x 517 (D) mm	
	BW-320 : 553.9 (W) x 1992.6 (H) x 577 (D) mm	

#### Partner Tech Corporation